

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** ARISTA UV R2 LIGHT MAGENTA INK

**Other means of identification**

**SDS number:** 000001015906

**Recommended restrictions**

**Recommended use:** Printing ink

**Restrictions on use:** Reserved for industrial and professional use.

**Manufactured for:**

**Distributor**

Company Name: LTD "ARISTA INK  
TECHNOLOGIES"

Address: Aglonas 11-11  
LV-1057  
Riga  
Latvia

Telephone: +371 22334368

Fax:

Contact Person:

E-mail: office@arista.lv

**Emergency telephone number:**

Transport Emergency

Non-transportation

Call CHEMTREC : +1 800 4249300

Health Emergency Phone : +1 303 6235716

International : +1 703 5273887

## 2. Hazard(s) identification

**Hazard Classification**

**Health Hazards**

Skin Corrosion/Irritation

Category 2

|  |                         |
|--|-------------------------|
| Serious Eye Damage/Eye Irritation                  | Category 1              |
| Skin sensitizer                                    | Category 1              |
| Toxic to reproduction                              | Category 1B             |
| Specific Target Organ Toxicity - Single Exposure   | Category 3 <sup>1</sup> |
| Specific Target Organ Toxicity - Repeated Exposure | Category 1              |

**Target Organs**

1. Respiratory tract irritation.

**Environmental Hazards**

|  |            |
|--|------------|
| Acute hazards to the aquatic environment   | Category 2 |
| Chronic hazards to the aquatic environment | Category 2 |

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Causes skin irritation.  
 Causes serious eye damage.  
 May cause an allergic skin reaction.  
 May damage fertility or the unborn child.  
 May cause respiratory irritation.  
 Causes damage to organs through prolonged or repeated exposure.  
 Toxic to aquatic life with long lasting effects.

**Precautionary Statements**

**Prevention:** Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse. Collect spillage.

**Storage:** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity   | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| Phenoxyethylacrylate  | 48145-04-6 | 10 - <25%               |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate                  | 5888-33-5  | 10 - <20%               |
| Oxybis(methyl-2,1-ethanediyl) diacrylate                            | 57472-68-1 | 10 - <20%               |
| N-vinyl caprolactam   | 2235-00-9  | 5 - <10%                |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-                  | 75980-60-8 | 5 - <10%                |
| 2-Propenoic acid, 1-6-hexanediyl ester, polymer with 2-aminoethanol | 67906-98-3 | 5 - <10%                |
| Tetrahydrofurfuryl acrylate   | 2399-48-6  | 5 - <10%                |
| Isodecyl acrylate   | 1330-61-6  | 5 - <10%                |
| Ethoxylated phenyl acrylate   | 56641-05-5 | 2.5 - <5%               |
| 2-phenoxyethanol  | 122-99-6   | 1 - <5%                 |
| Hexamethylene diacrylate  | 13048-33-4 | 0.1 - <1%               |
| caprolactam   | 105-60-2   | 0.01 - <1%              |
| Tetrahydrofurfuryl alcohol  | 97-99-4    | 0.1 - <0.3%             |
| Hydroquinone  | 123-31-9   | 0.01 - <0.1%            |
| Heptane   | 142-82-5   | 0 - <0.1%               |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol                          | 128-37-0   | 0 - <0.1%               |
| Phenol, 4-methoxy-  | 150-76-5   | 0 - <0.1%               |
| Tris(N-hydroxy-N-nitrosophenylamino-O,O')aluminium                  | 15305-07-4 | 0 - <0.1%               |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**General information:** Get medical attention if symptoms occur.

|  |  |
|--|--|
| <b>Inhalation:</b>                                   | Move into fresh air and keep at rest. Get medical attention immediately. Show this safety data sheet to the doctor in attendance.  |
| <b>Skin Contact:</b>                                 | Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse. |
| <b>Eye contact:</b>                                  | Flush thoroughly with water for at least 15 minutes. Get medical assistance.   |
| <b>Ingestion:</b>                                    | Rinse mouth with plenty of water. Call a physician immediately. Show this safety data sheet to the doctor in attendance.   |
| <b>Personal Protection for First-aid Responders:</b> | CAUTION! First aid personnel must be aware of own risk during rescue! See Section 8 of the SDS for Personal Protective Equipment.  |

**Most important symptoms/effects, acute and delayed**

|                  |   |
|------------------|---|
| <b>Symptoms:</b> | See section 11 of the SDS for additional information on health hazards. |
| <b>Hazards:</b>  | See section 11 of the SDS for additional information on health hazards. |

**Indication of immediate medical attention and special treatment needed**

|                   |   |
|-------------------|---|
| <b>Treatment:</b> | Skin and/or eye contact. Flush thoroughly with water for at least 15 minutes. Get medical assistance. |
|-------------------|---|

**5. Fire-fighting measures**

|                              |   |
|------------------------------|---|
| <b>General Fire Hazards:</b> | No unusual fire or explosion hazards noted. |
|------------------------------|---|

**Suitable (and unsuitable) extinguishing media**

|  |  |
|--|--|
| <b>Suitable extinguishing media:</b>   | Extinguish with foam, carbon dioxide, dry powder or water fog.         |
| <b>Unsuitable extinguishing media:</b> | Do not use water jet as an extinguisher, as this will spread the fire. |

|  |   |
|--|---|
| <b>Specific hazards arising from the chemical:</b> | During fire, gases hazardous to health may be formed. |
|--|---|

**Special protective equipment and precautions for firefighters**

|  |   |
|--|---|
| <b>Special fire fighting procedures:</b>               | No data available.  |
| <b>Special protective equipment for fire-fighters:</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

**For non-emergency personnel:** Use personal protective equipment.

**For emergency responders:** Warn everybody of potential hazards and evacuate if necessary. Use personal protective equipment.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal. For waste disposal, see section 13 of the SDS.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.

**Prevention of secondary hazards:** No data available.

## 7. Handling and storage

**Precautions for safe handling:** Do not get in eyes. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity                           | Type      | Exposure Limit Values        | Source  |
|---|-----------|------------------------------|---|
| caprolactam - Inhalable fraction and vapor. | TWA       | 5 mg/m <sup>3</sup>          | US. ACGIH Threshold Limit Values (03 2014)                                  |
| caprolactam - Vapor.                        | STEL      | 0.66 ppm 3 mg/m <sup>3</sup> | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|   | REL       | 0.22 ppm 1 mg/m <sup>3</sup> | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| caprolactam - Dust.                         | STEL      | 3 mg/m <sup>3</sup>          | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|   | REL       | 1 mg/m <sup>3</sup>          | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
| caprolactam - Vapor.                        | STEL      | 10 ppm 40 mg/m <sup>3</sup>  | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| caprolactam - Dust.                         | STEL      | 3 mg/m <sup>3</sup>          | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
|   | TWA       | 1 mg/m <sup>3</sup>          | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| caprolactam - Vapor.                        | TWA       | 5 ppm 20 mg/m <sup>3</sup>   | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Hydroquinone                                | TWA       | 1 mg/m <sup>3</sup>          | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | Ceil_Time | 2 mg/m <sup>3</sup>          | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|   | PEL       | 2 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

|  |           |                                 |   |
|--|-----------|---------------------------------|---|
|  | TWA       | 2 mg/m <sup>3</sup>             | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Heptane  | TWA       | 400 ppm                         | US. ACGIH Threshold Limit Values (03 2014)                                  |
|  | STEL      | 500 ppm                         | US. ACGIH Threshold Limit Values (03 2014)                                  |
|  | REL       | 85 ppm 350 mg/m <sup>3</sup>    | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|  | Ceil_Time | 440 ppm 1,800 mg/m <sup>3</sup> | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|  | PEL       | 500 ppm 2,000 mg/m <sup>3</sup> | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
|  | STEL      | 500 ppm 2,000 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
|  | TWA       | 400 ppm 1,600 mg/m <sup>3</sup> | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol - Inhalable fraction and vapor. | TWA       | 2 mg/m <sup>3</sup>             | US. ACGIH Threshold Limit Values (03 2014)                                  |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol                                 | REL       | 10 mg/m <sup>3</sup>            | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|  | TWA       | 10 mg/m <sup>3</sup>            | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Phenol, 4-methoxy-   | TWA       | 5 mg/m <sup>3</sup>             | US. ACGIH Threshold Limit Values (03 2014)                                  |
|  | REL       | 5 mg/m <sup>3</sup>             | US. NIOSH: Pocket Guide to Chemical Hazards (2010)                          |
|  | TWA       | 5 mg/m <sup>3</sup>             | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)                              |
| Tris(N-hydroxy-N-nitrosophenylamino-O,O')aluminium - Respirable fraction.  | TWA       | 1 mg/m <sup>3</sup>             | US. ACGIH Threshold Limit Values (03 2014)                                  |

### Appropriate Engineering Controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Emergency showers and eye wash stations should be available.

### Individual protection measures, such as personal protective equipment

#### General information:

Educate and train employees in the safe use and handling of this product. Do not eat, drink or smoke when using the product. Eye wash facilities and emergency shower must be available when handling this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### Eye/face protection:

Safety goggles

#### Skin Protection

##### Hand Protection:

Additional Information: Protective gloves should be used if there is a risk of direct contact or splash., Chemical resistant gloves required for prolonged or repeated contact., Butyl rubber., Glove thickness: > 0.35 mm, Break-through time: > 240 min, Risk of splashes:., Nitrile rubber., Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable., The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

##### Skin and Body Protection:

Wear suitable protective clothing as protection against splashing or contamination.

**Respiratory Protection:** Under normal conditions of use, respirator protection is not required. In case of inadequate ventilation, use respiratory protection. If respirators are used, OSHA requires compliance with its respiratory protection program (29 CFR 1910.134).

**Hygiene measures:** Employees should wash their hands and face before eating, drinking, or using tobacco products. Keep away from foodstuffs, drinks and tobacco.

## 9. Physical and chemical properties

### Appearance

|   |                    |
|---|--------------------|
| <b>Physical state:</b>                          | liquid             |
| <b>Form:</b>                                    | liquid             |
| <b>Color:</b>                                   | purple             |
| <b>Odor:</b>                                    | Sweetish           |
| <b>Odor Threshold:</b>                          | No data available. |
| <b>pH:</b>                                      | No data available. |
| <b>Freezing point:</b>                          | No data available. |
| <b>Boiling Point:</b>                           | No data available. |
| <b>Flash Point:</b>                             | No data available. |
| <b>Evaporation Rate:</b>                        | No data available. |
| <b>Flammability (solid, gas):</b>               | No data available. |
| <b>Flammability Limit - Upper (%):</b>          | No data available. |
| <b>Flammability Limit - Lower (%):</b>          | No data available. |
| <b>Vapor pressure:</b>                          | No data available. |
| <b>Vapor density (air=1):</b>                   | No data available. |
| <b>Density:</b>                                 | No data available. |
| <b>Relative density:</b>                        | 1.0555             |
| <b>Solubility(ies)</b>                          |                    |
| <b>Solubility in Water:</b>                     | No data available. |
| <b>Solubility (other):</b>                      | No data available. |
| <b>Partition coefficient (n-octanol/water):</b> | No data available. |
| <b>Autoignition Temperature:</b>                | No data available. |
| <b>Decomposition Temperature:</b>               | No data available. |
| <b>Kinematic viscosity:</b>                     | No data available. |
| <b>Dynamic viscosity:</b>                       | No data available. |
| <b>Explosive properties:</b>                    | No data available. |
| <b>Oxidizing properties:</b>                    | No data available. |
| <b>Other information</b>                        |                    |
| <b>VOC Content:</b>                             | 308.3 g/l ~29.1 %  |

## 10. Stability and reactivity

**Reactivity:** Material is stable under normal conditions. Material is stable under normal conditions.

|  |  |
|--|--|
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions.              |
| <b>Possibility of hazardous reactions:</b> | Not known.   |
| <b>Conditions to avoid:</b>                | Avoid heat or contamination.                             |
| <b>Incompatible Materials:</b>             | None known.  |
| <b>Hazardous Decomposition Products:</b>   | By heating and fire, harmful vapors/gases may be formed. |

## 11. Toxicological information

### Symptoms related to the physical, chemical and toxicological characteristics

|                      |  |
|----------------------|--|
| <b>Inhalation:</b>   | Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | Causes skin irritation. May cause an allergic skin reaction.   |
| <b>Eye contact:</b>  | Causes serious eye damage.   |
| <b>Ingestion:</b>    | May be ingested by accident. Ingestion may cause irritation and malaise.   |

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

|                                |  |
|--------------------------------|--|
| <b>Oral</b>                    |  |
| <b>Product:</b>                | ATEmix: 4,472.7 mg/kg                                      |
| <b>Dermal</b>                  |  |
| <b>Product:</b>                | ATEmix: 15,477.87 mg/kg                                    |
| <b>Inhalation</b>              |  |
| <b>Product:</b>                | Not classified for acute toxicity based on available data. |
| <b>Specified substance(s):</b> |  |
| Isodecyl acrylate              | LC 50 (Rat): > 1.19 mg/l                                   |
| 2-phenoxyethanol               | LC 50 (Rat): > 1,000 mg/m3                                 |
| Hexamethylene diacrylate       | LC 0 (Rat): 0.41 mg/l                                      |
| caprolactam                    | LC 50 (Rat): 0.3 mg/l                                      |
| Heptane                        | LC50 (rat): 103 mg/l                                       |



**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

|   |  |
|---|--|
| Phenoxyethylacrylate  | NOAEL (Rat(Female, Male), Oral, 2 Weeks): 500 mg/kg Oral Experimental result, Supporting study   |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate              | LOAEL (Rat(Female, Male), Inhalation): 0.753 mg/l Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study<br>NOAEL (rat(male/female)): 100 mg/kg Based on available data, the classification criteria are not met.<br>NOAEL (Rat(Female, Male), Oral, 28 - 53 d): 100 mg/kg Oral Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation): 0.075 mg/l Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study<br>NOAEL (Rat(Female, Male), Inhalation): 0.226 mg/l Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study |
| Oxybis(methyl-2,1-ethanediyl) diacrylate<br>N-vinyl caprolactam | NOAEL (Rat(Female, Male), Oral, 28 - 52 d): 250 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study<br>NOAEL (Rat(Female, Male), Inhalation): 0.058 mg/l Inhalation Experimental result, Key study  |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-              | LOAEL (Rat(Female, Male), Oral, 28 d): 250 mg/kg Oral Experimental result, Key study<br>No data available.<br>NOAEL (Rat(Female, Male), Oral, 28 d): 50 mg/kg Oral Experimental result, Key study<br>LOAEL (Rat(Female, Male), Oral, 64 - 91 d): 300 mg/kg Oral Experimental result, Key study<br>NOAEL (Rat(Female, Male), Oral, 64 - 91 d): 100 mg/kg Oral Experimental result, Key study  |
| Isodecyl acrylate   | NOAEL (Rat(Female, Male), Inhalation): 0.075 mg/l Inhalation Read-across from supporting substance (structural analogue or surrogate), Key study   |
| 2-phenoxyethanol  | LOAEL (Rat(Female, Male), Oral, 13 Weeks): 400 mg/kg Oral Experimental result, Supporting study<br>NOAEL (Rat(Female, Male), Oral, 13 Weeks): 80 mg/kg Oral Experimental result, Supporting study  |
| Hexamethylene diacrylate<br>caprolactam                         | NOAEL (Rat(Female, Male), Oral, 28 - 52 d): 250 mg/kg Oral Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation, 13 - 17 Weeks): 0.066 mg/l Inhalation Experimental result, Key study<br>NOAEL (Rat(Female, Male), Inhalation, 13 - 17 Weeks): 0.245 mg/l Inhalation Experimental result, Key study  |
| 2,6-bis(1,1-dimethylethyl)-4-methylphenol<br>Phenol, 4-methoxy- | NOAEL (Rat(Male), Oral, 1.25 - 22.75 Months): 25 mg/kg Oral Experimental result, Key study<br>LOAEL (Rat(Female, Male), Oral, >= 28 d): 300 mg/kg Oral Experimental result, Key study<br>No data available.<br>NOAEL (Rat(Female, Male), Oral, >= 28 d): 150 mg/kg Oral Experimental result, Key study   |

**Skin Corrosion/Irritation**

**Product:** The health hazard evaluation is based on the toxicological properties of a similar material.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

|  |  |
|--|--|
| Oxybis(methyl-2,1-ethanediyl) diacrylate   | in vivo (Rabbit): Category 1 , 24 - 72 hrs OECD GHS          |
| Isodecyl acrylate                          | Mildly Irritating  |
| 2-phenoxyethanol                           | in vivo (Rabbit): Irritating , 24 - 72 hrs EU                |
| Hexamethylene diacrylate                   | Irritating   |
| caprolactam                                | Irritating   |
| Tetrahydrofurfuryl alcohol                 | Severely Irritating  |
| Hydroquinone                               | Irritating   |
| Heptane                                    | in vivo (Rabbit): Not irritating , 24 - 72 hrs GHS, EU, 2007 |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol | in vivo (Rabbit): Not irritating , 24 - 72 hrs EU            |

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

|  |  |
|--|--|
| 2-phenoxyethanol                           | Skin sensitization:, in vivo (Guinea pig): Non sensitising   |
| Hexamethylene diacrylate                   | Skin sensitization:, in vivo (Guinea pig): Sensitising   |
| caprolactam                                | Skin sensitization:, in vivo (Guinea pig): Non sensitising   |
| Hydroquinone                               | Skin sensitization:, in vivo (Guinea pig): Sensitising   |
| Heptane                                    | Skin sensitization:, in vivo (Guinea pig): Non sensitising   |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol | Skin sensitization:, in vivo (Guinea pig): Non sensitising   |
| Phenol, 4-methoxy-                         | May cause sensitization by skin contact.<br>Skin sensitization:, in vivo (Guinea pig): Sensitising |

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specified substance(s):**  
 Phenol, 4-methoxy- No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Specified substance(s):**  
 Phenol, 4-methoxy- No information available.

**Target Organs**

Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s):**  
 Phenol, 4-methoxy- No data available.

**Other effects:** No data available.

|                                   |
|-----------------------------------|
| <b>12. Ecological information</b> |
|-----------------------------------|

**Ecotoxicity:**
**Acute hazards to the aquatic environment:**
**Fish**

**Product:** No data available.

**Specified substance(s):**

exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate  
 LC 50 (Danio rerio, 96 h): 0.704 mg/l Experimental result, Key study

Oxybis(methyl-2,1-ethanediyl) diacrylate  
 NOAEL (Leuciscus idus, 96 h): 1 mg/l Experimental result, Key study  
 LC 50 (Leuciscus idus, 96 h): 2.2 mg/l

N-vinyl caprolactam  
 LC 50 (Danio rerio, 96 h): 318 mg/l Experimental result, Key study  
 NOAEL (Danio rerio, 96 h): 208 mg/l Experimental result, Key study  
 LC 0 (Danio rerio, 96 h): 208 mg/l Experimental result, Key study  
 NOAEL (Danio rerio, 96 h): 215 mg/l Experimental result, Key study  
 LC 50 (Danio rerio, 96 h): 307 mg/l Experimental result, Key study

Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-  
 LC 50 (Oryzias latipes, 48 h): +/- 6.53 mg/l Experimental result, Key study

2-phenoxyethanol  
 LC 50 (Pimephales promelas, 96 h): 344 mg/l Experimental result, Key study

|   |  |
|---|--|
| Hexamethylene diacrylate                  | LC 50 (Leuciscus idus, 96 h): 4.6 - 10 mg/l Experimental result, Key study   |
| caprolactam                               | LC 50 (Oryzias latipes, 96 h): > 100 mg/l Experimental result, Key study     |
| Tetrahydrofurfuryl alcohol                | LC 50 (Oryzias latipes, 96 h): > 101 mg/l Experimental result, Key study     |
| Hydroquinone                              | LC 50 (Oncorhynchus mykiss, 96 h): 0.638 mg/l Experimental result, Key study |
| Heptane                                   | LC50 (Leuciscus idus (golden orfe), 48 h): > 270 mg/l                        |
| 2,6-bis(1,1-dimethylethyl)-4-methylphenol | LC 50 (96 h): 0.199 mg/l QSAR QSAR, Key study                                |
| Phenol, 4-methoxy-                        | LC 50 (Oncorhynchus mykiss, 96 h): 28.5 mg/l Experimental result, Key study  |

**Aquatic Invertebrates  
Product:**

No data available.

**Specified substance(s):**

|  |  |
|--|--|
| Phenoxyethylacrylate                               | EC 50 (Daphnia magna, 48 h): 1.21 mg/l Experimental result, Key study  |
| N-vinyl caprolactam                                | EC 50 (Daphnia magna, 48 h): > 100 mg/l Experimental result, Key study   |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- | EC 50 (Daphnia magna, 48 h): 3.53 mg/l Experimental result, Key study  |
| 2-phenoxyethanol                                   | EC 50 (Daphnia magna, 48 h): 460 mg/l Experimental result, Not specified   |
| Hexamethylene diacrylate                           | EC 50 (Daphnia magna, 48 h): 2.6 mg/l Experimental result, Key study   |
| caprolactam  | EC 50 (Daphnia magna, 48 h): 0.08 mg/l Experimental result, Key study  |
| Tetrahydrofurfuryl alcohol                         | EC 50 (Daphnia magna, 48 h): > 91.7 mg/l Experimental result, Key study  |
| Hydroquinone                                       | EC 50 (Daphnia magna, 48 h): 0.134 mg/l Experimental result, Key study   |
| Heptane  | EC 50 (Daphnia magna, 48 h): 1.5 mg/l Experimental result, Key study<br>EC50 (Daphnia magna (water flea), 24 h): > 10 mg/l<br>EC 50 (Daphnia magna, 48 h): 3.9 mg/l Experimental result, Key study   |
| 2,6-bis(1,1-dimethylethyl)-4-methylphenol          | EC 50 (Daphnia magna, 48 h): 0.61 mg/l Experimental result, Key study<br>NOAEL (Daphnia magna, 48 h): 0.23 mg/l Experimental result, Key study<br>EC 50 (Daphnia magna, 24 h): > 0.7 mg/l Experimental result, Key study<br>NOAEL (Daphnia magna, 48 h): 0.15 mg/l Experimental result, Key study<br>EC 50 (Daphnia magna, 48 h): 0.48 mg/l Experimental result, Key study |
| Phenol, 4-methoxy-                                 | NOAEL (Daphnia magna, 48 h): 1.32 mg/l Experimental result, Key study<br>EC 50 (Daphnia magna, 48 h): 3 mg/l Experimental result, Key study  |

**Chronic hazards to the aquatic environment:**
**Fish**

**Product:** No data available.

**Specified substance(s):**

2-phenoxyethanol LC 50 (Danio rerio, 6 d): 461.5 - 521.6 mg/l Experimental result, Supporting study

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

caprolactam EC 50 (Alga, 72 h): 130 mg/l

**Persistence and Degradability**
**Biodegradation**

**Product:** No data available.

**Specified substance(s):**

Phenoxyethylacrylate 22.3 % (28 d) Detected in water. Experimental result, Key study

exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate  
 > 0 % Detected in water. Experimental result, Key study  
 3.9 % Detected in water. Experimental result, Key study  
 34.6 % Detected in water. Experimental result, Key study  
 26 % Detected in water. Experimental result, Key study  
 57 % Detected in water. Experimental result, Key study

Oxybis(methyl-2,1-ethanediyl) diacrylate 90 - 100 % (28 d) Detected in water. Experimental result, Key study

N-vinyl caprolactam 30 - 40 % (28 d) Detected in water. Experimental result, Key study

Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- > 0 - 10 % (28 d) Detected in water. Experimental result, Key study

Isodecyl acrylate 70 - 80 % (15 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Key study

2-phenoxyethanol > 70 % Detected in water. Experimental result, Supporting study  
 75 % Detected in water. Experimental result, Key study  
 21.33 % (20 d) Detected in water. Experimental result, Supporting study  
 60 % Detected in water. Experimental result, Key study  
 61 % Detected in water. Experimental result, Supporting study

Hexamethylene diacrylate 60 - 70 % (28 d) Detected in water. Experimental result, Key study

caprolactam 5 % (28 d) Detected in water. Experimental result, Key study

|  |  |
|--|--|
| Tetrahydrofurfuryl alcohol                 | 92 % (28 d) Detected in water. Experimental result, Key study<br>0 % (60 d) Detected in water. Experimental result, Supporting study   |
| Hydroquinone                               | 86 % (14 d) Detected in water. Experimental result, Supporting study<br>>= 99.9 % Sediment Experimental result, Key study<br>70 % (14 d) Detected in water. Experimental result, Supporting study<br>100 % Detected in water. Experimental result, Supporting study<br>97.5 % (5 d) Detected in water. Experimental result, Key study      |
| Heptane                                    | 63.2 % Detected in water. Experimental result, Key study<br>100 % (25 d) Detected in water. Experimental result, Supporting study<br>28.2 % Detected in water. Experimental result, Key study<br>100 % (4 d) Detected in water. Experimental result, Supporting study<br>70 % Detected in water. Experimental result, Key study            |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol | 4.5 % (28 d) Detected in water. Experimental result, Key study<br>> 75 % soil Experimental result, Key study<br>> 85 % soil Experimental result, Key study<br>> 80 % soil Experimental result, Key study<br>< 10 % (20 d) Detected in water. Not specified   |
| Phenol, 4-methoxy-                         | 99 % (28 d) Detected in water. Experimental result, Key study<br>86 % (28 d) Detected in water. Experimental result, Key study<br>> 75 % (56 d) Detected in water. Experimental result, Supporting study<br>100 % (8 d) soil Experimental result, Supporting study<br>100 % (6 d) Detected in water. Experimental result, Supporting study |

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative potential**
**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

|  |   |
|--|---|
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate | Danio rerio, Bioconcentration Factor (BCF): 37 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study  |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- | Cyprinus carpio, Bioconcentration Factor (BCF): 22 - 32 Aquatic sediment Experimental result, Key study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 18 - 22 Aquatic sediment Experimental result, Key study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 53 - 72 Aquatic sediment Experimental result, Key study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 23 - 40 Aquatic sediment Experimental result, Key study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 47 - 55 Aquatic sediment Experimental result, Key study |
| 2-phenoxyethanol                                   | Bioconcentration Factor (BCF): 4.5 Aquatic sediment Estimated by calculation, Not specified<br>Bioconcentration Factor (BCF): 0.35 Aquatic sediment Estimated by calculation, Key study   |

|  |  |
|--|--|
| Heptane                                    | Bioconcentration Factor (BCF): 552 Aquatic sediment Estimated by calculation, Key study  |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol | Cyprinus carpio, Bioconcentration Factor (BCF): 230 - 2,500 Aquatic sediment Experimental result, Weight of Evidence study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 230 - 2,500 Aquatic sediment Experimental result, Key study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 330 - 1,800 Aquatic sediment Experimental result, Key study<br>Bioconcentration Factor (BCF): 598.4 Aquatic sediment Estimated by calculation, Weight of Evidence study<br>Cyprinus carpio, Bioconcentration Factor (BCF): 13 - 17 Aquatic sediment Experimental result, Supporting study |

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Specified substance(s):**

|  |  |
|--|--|
| Oxybis(methyl-2,1-ethanediyl) diacrylate   | Log Kow: 0.01 - 0.39 24 °C Yes Experimental result, Key study                              |
| Isodecyl acrylate                          | Log Kow: No data available.  |
| 2-phenoxyethanol                           | Log Kow: 1.16<br>Log Kow: 1.16 - 1.2 (DSC) No data available.                              |
| Hexamethylene diacrylate                   | Log Kow: 2.62 - 3.08 25 °C No Experimental result, Supporting study<br>Log Kow: 3.08 (DSC) |
| Heptane                                    | Log Kow: 4.66  |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol | Log Kow: 5.11 - 5.2 No Experimental result, Weight of Evidence study                       |
| Phenol, 4-methoxy-                         | Log Kow: 1.58<br>Log Kow: 1.34 (DSC)   |

**Mobility in soil:** No data available.

**Known or predicted distribution to environmental compartments**

|   |                    |
|---|--------------------|
| Phenoxyethylacrylate  | No data available. |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate                  | No data available. |
| Oxybis(methyl-2,1-ethanediyl) diacrylate                            | No data available. |
| N-vinyl caprolactam   | No data available. |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-                  | No data available. |
| 2-Propenoic acid, 1-6-hexanediyl ester, polymer with 2-aminoethanol | No data available. |
| Tetrahydrofurfuryl acrylate   | No data available. |
| Isodecyl acrylate   | No data available. |
| Ethoxylated phenyl acrylate   | No data available. |
| 2-phenoxyethanol  | No data available. |
| Hexamethylene diacrylate caprolactam                                | No data available. |
| Tetrahydrofurfuryl alcohol  | No data available. |
| Hydroquinone  | No data available. |
| Heptane   | No data available. |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol                          | No data available. |
| Phenol, 4-methoxy-  | No data available. |
| Tris(N-hydroxy-N-nitrosophenylamino-O,O')aluminium                  | No data available. |

**Other adverse effects:** Toxic to aquatic life with long lasting effects.

### 13. Disposal considerations

|   |  |
|---|--|
| <b>General information:</b>                                 | Waste disposal should be in accordance with existing federal, state and local environmental control laws.  |
| <b>Disposal instructions:</b>                               | Discharge, treatment, or disposal may be subject to national, state, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.  |
| <b>Contaminated Packaging:</b>                              | Dispose in accordance with all applicable regulations.   |
| <b>US. RCRA Hazardous Waste Classification (40 CFR 261)</b> | If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. |



**14. Transport information****DOT**

|                              |   |
|------------------------------|---|
| UN Number                    | UN3082  |
| UN Proper Shipping Name      | Environmentally hazardous substance, liquid, n.o.s.(Acrylate) |
| Transport Hazard Class(es)   |   |
| Class                        | 9   |
| Label(s)                     | 9   |
| Packing Group                | III   |
| Environmental Hazards        | Yes   |
| Special precautions for user | Not regulated if packaging <= 5L                              |

**IATA**

|                              |   |
|------------------------------|---|
| UN Number                    | UN3082  |
| Proper Shipping Name         | Environmentally hazardous substance, liquid, n.o.s.(Acrylate) |
| Transport Hazard Class(es)   |   |
| Class                        | 9   |
| Label(s)                     | 9MI (Miscellaneous)   |
| Packing Group                | III   |
| Environmental Hazards        | Yes   |
| Special precautions for user | SPECIAL PROVISION A197  |

## Other information

Passenger and cargo aircraft Allowed.

Cargo aircraft only Allowed.

**IMDG**

|                              |   |
|------------------------------|---|
| UN Number                    | UN3082  |
| UN Proper Shipping Name      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acrylate) |
| Transport Hazard Class(es)   |   |
| Class                        | 9   |
| Label(s)                     | 9   |
| EmS No.                      | F-AS-F  |
| Packing Group                | III   |
| Limited quantity             | 5.00L   |
| Excepted quantity            | E1  |
| Environmental Hazards        | Yes   |
| Special precautions for user | CODE 2.10.2.7   |

**15. Regulatory information****US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)****US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.



**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Heptane                  | lbs. 100                   |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Respiratory or Skin Sensitization
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u>  | <u>Threshold Planning Quantity</u> |
|---|------------------------------------|
| Phenoxyethylacrylate  | 10000 lbs                          |
| exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-ylacrylate                  | 10000 lbs                          |
| Oxybis(methyl-2,1-ethanediyl) diacrylate                            | 10000 lbs                          |
| N-vinyl caprolactam   | 10000 lbs                          |
| Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-                  | 10000 lbs                          |
| 2-Propenoic acid, 1-6-hexanediyl ester, polymer with 2-aminoethanol | 10000 lbs                          |
| Tetrahydrofurfuryl acrylate   | 10000 lbs                          |
| Isodecyl acrylate   | 10000 lbs                          |
| Ethoxylated phenyl acrylate   | 10000 lbs                          |
| 2-phenoxyethanol  | 10000 lbs                          |
| Hexamethylene diacrylate caprolactam                                | 10000 lbs                          |
| Tetrahydrofurfuryl alcohol  | 10000 lbs                          |
| Hydroquinone  | 10000 lbs                          |
| Heptane   | 10000 lbs                          |
| 2,6-bis(1,1-dimethylethyl)-4-methyl-phenol                          | 10000 lbs                          |
| Phenol, 4-methoxy-  | 10000 lbs                          |
| Tris(N-hydroxy-N-nitrosophenylamino-O,O')aluminium                  | 10000 lbs                          |

**SARA 313 (TRI Reporting)**

| <u>Chemical Identity</u>    | <u>Reporting threshold for other users</u> | <u>Reporting threshold for manufacturing and processing</u> |
|-----------------------------|--|---|
| Phenoxyethylacrylate        | N230 lbs                                   | N230 lbs.   |
| Ethoxylated phenyl acrylate | N230 lbs                                   | N230 lbs.   |
| 2-phenoxyethanol            | N230 lbs                                   | N230 lbs.   |

**Clean Air Act (CAA) Section 111 SOCM Intermediate or Final Volatile Organic Compounds (40 CFR 60.489):**

| <u>Chemical Identity</u>     |
|------------------------------|
| 2-phenoxyethanol caprolactam |

**Clean Air Act (CAA) Section 112, 1990 Amendments, Statutory Hazardous Air Pollutants:**

| <u>Chemical Identity</u>    |
|-----------------------------|
| Phenoxyethylacrylate        |
| Ethoxylated phenyl acrylate |
| 2-phenoxyethanol            |

**Clean Air Act (CAA) Section 112(i) High-Risk Hazardous Air Pollutants (40 CFR 63.74):**

None present.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**US State Regulations****US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act****Chemical Identity**Phenoxyethylacrylate  
Ethoxylated phenyl acrylate  
2-phenoxyethanol**US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances****Chemical Identity**Phenoxyethylacrylate  
Ethoxylated phenyl acrylate  
2-phenoxyethanol**US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

**US. Toxic Substances Control Act (TSCA)**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substance Control Act (U.S, EPA TSCA) 8(b) inventory.

**16. Other information, including date of preparation or last revision****Issue Date:** 03-15-2019**Revision Information:** No data available.**Version #:** 1.2**Further Information:** This information is furnished without warranty, expressed or implied, and is believed to be accurate to the best knowledge of the manufacturer. The data on this SDS relates only to the specific material designated herein. The manufacturer assumes no legal responsibility for use or reliance upon these data.**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.